

From: [Sheldrake, Sean](#)
To: [Cora, Lori](#)
Subject: RE: BaP Loading (sf-attorney client)
Date: Tuesday, September 19, 2017 12:12:00 PM

(b) (5)



Sean Sheldrake, Unit Diving Officer, RPM
EPA Region 10, 1200 Sixth Ave., Suite 900; Mailstop DOC-01
Seattle, WA 98101
206.553.1220 desk
206.225.6528 cell
<http://yosemite.epa.gov/r10/cleanup.nsf/sites/ptldharbor>

Over 47 years of scientific diving in support of EPA's mission

-----Original Message-----

From: Cora, Lori
Sent: Tuesday, September 19, 2017 12:08 PM
To: Sheldrake, Sean <sheldrake.sean@epa.gov>
Subject: RE: BaP Loading (sf)

(b)(4) copyright



Lori Houck Cora | Assistant Regional Counsel U.S. Environmental Protection Agency | Region 10
P: (206) 553.1115 | F: (206) 553.1762 | cora.lori@epa.gov Follow @EPAnorthwest on Twitter!
<https://twitter.com/EPAnorthwest>

-----Original Message-----

From: Sheldrake, Sean
Sent: Tuesday, September 19, 2017 11:59 AM
To: PARRETT Kevin <kevin.parrett@state.or.us>
Cc: MCCLINCY Matt <matt.mcclincy@state.or.us>; GREENFIELD Sarah <sarah.greenfield@state.or.us>; Zhen, Davis <Zhen.Davis@epa.gov>; Gustavson, Karl <Gustavson.Karl@epa.gov>; Scott Coffey <coffeyse@cdmsmith.com>
Subject: RE: BaP Loading (sf)

Thanks Kevin, I'll forward on to our team for review and use in how we're briefing the Iris proposal from NWN.

S

Sean Sheldrake, Unit Diving Officer, RPM EPA Region 10, 1200 Sixth Ave., Suite 900; Mailstop DOC-01 Seattle, WA 98101
206.553.1220 desk
206.225.6528 cell
<http://yosemite.epa.gov/r10/cleanup.nsf/sites/ptldharbor>

Over 47 years of scientific diving in support of EPA's mission

-----Original Message-----

From: PARRETT Kevin [<mailto:kevin.parrett@state.or.us>]

Sent: Monday, September 18, 2017 7:38 AM

To: Sheldrake, Sean <sheldrake.sean@epa.gov>

Cc: MCCLINCY Matt <matt mcclincy@state.or.us>; GREENFIELD Sarah <sarah.greenfield@state.or.us>; Zhen, Davis <Zhen.Davis@epa.gov>

Subject: BaP Loading

Hi Sean. I've prepared the attached set of graphs for our discussion Wed on NW Natural's BaP proposal. The pie chart shows how bedded sediment between RM 5-6 dominates loading to the water column. It also demonstrates that further DEQ source control work on PAHs would have little benefit if the RM 5-6 sediments were not addressed.

-Kevin